


smartSMS_{NET}

SOUND MASKING SYSTEM



Soft dB

WWW.SOFTDB.COM

State-of-the-art Sound Masking System

SmartSMS-NET is designed to provide the best masking sound while preserving the comfort of the occupants. The precise adjustment of the masking sound to the specific characteristics and noise conditions of each work area is what distinguishes this system. It is based on three unique features:

Automatic Equalization Process

A 340 narrow band equalization (instead of the usual 20 $\frac{1}{3}$ octave bands) ensures the production of a uniquely smooth, regular and comfortable sound masking, irrespective of the acoustical characteristics of the work space (Patent US 7460675 B2).

Real-Time Adaptive Adjustment of the Masking Sound Level

Continuously adjusts the masking sound level based on ambient noise measurement. In a busy work area, the masking sound increases. It decreases when the work area quiets down (Patent US 8116 461 B2).

Networked System

The SmartSMS-NET is very flexible, it features small masking zones and larger masking zones. It combines the flexibility of network system and the cost efficiency of centralized systems.

SmartSMS-NET components

SMS-NET




Speaker



Adaptive Sensor



SMS-NET Rack-Mount




Additional Advanced Features

- Graphic control
- WIFI and LAN
- Paging and music
- Individual speaker control
- Gradual ramp-up
- Built-In Self-Test (BIST)
- Calendar adjustment
- LEED Design

How Does Sound Masking Work?

In office spaces, the background noise level is generally low. Hence, people unintentionally overhear conversations – a difficult situation for all concerned. To address this problem, sound masking systems emit a soft, inconspicuous background sound with the use of a loudspeaker system. The ambient sound level becomes more uniform and otherwise noisy distractions are muffled by the sound masking.

Sound level variations in a typical office



Sound masking benefits

Productivity Gains

Sound masking makes undesirable conversations and other noise distractions less audible. The result: employees are less distracted, they are able to concentrate better, and their productivity rises measurably!

Greater Confidentiality

It is easier and more economical to use sound masking than conventional soundproofing methods to obtain greater speech privacy in office spaces. The SmartSMS-NET has proven to be an effective, uncomplicated solution for increasing confidentiality in all types of work environments.

Graphical user interface

Administrator Software

Project settings can easily be applied to specific masking zones as the office layout is visually integrated in the management software.



Intuitive Touchscreen Control Panel

The SMS-CTP allows for simple, easy and secure masking volume adjustments via a sleek, centralized wall-mounted touchscreen panel.



Personal Volume Control

User-friendly mobile app makes it easy to control masking, paging and background music volume from any Android or Apple smartphone.



Call Us Toll-Free
1-866-686-0993

smartSMS_{NET}

www.softdb.com/sound-masking

Unique Automatic Equalization Process

SmartSMS-NET Ensures Precise Adjustment of the Masking Spectrum

The challenge: to produce optimum masking sound for all work space characteristics. Parameters such as size, type of ceiling, wall coverings, and furnishings have a direct influence on the propagation of sound masking. If the masking system is not properly calibrated to the specific conditions of the room, it becomes ineffective and/or irritating.


The advantage of SmartSMS-NET is that it adapts to characteristics that are specific to each work environment. Its unique calibration system (patent no.: US 7460675 B2) uses a sensor to measure the acoustic response and the background noise in the space. Based on this data, it automatically calculates the noise spectrum that must be used to emit a soft, uniform, and non-disruptive masking noise.

Rapid Calibration, Accurate Results

With SmartSMS-NET, a masking zone can be completely calibrated in less than one minute, thanks to Soft dB automatic calibration process (pat. US 7460675 B2).

This automatic adjustment is done not only on $\frac{1}{3}$ octave bands, but on 340 narrow band spectrum. It is quick, precise and provides an unparalleled regular smooth and comfortable sound masking spectrum.

The calibration quality is measured by the system's integrated frequency analyzer. At a glance, it provides indications as to whether the masking generated is in complete conformity with the desired sound spectrum.



GUARANTEED QUALITY OF INSTALLATION

smartSMS.NET

www.softdb.com/sound-masking

Any Questions?
@ Write To Us

Real-Time Adaptive Adjustment of Masking Volume According to Ambient Noise



SUPERIOR MASKING QUALITY AND ACOUSTIC COMFORT


An office space is a dynamic environment in which ambient noise and the volume of sound distractions vary a great deal depending on the schedule and activities underway. To be optimal, sound masking must adapt to changes: It must increase during very active periods, and become more discreet when the area is quieter. Only SmartSMS makes this possible!

Effective Masking at All Times

Our adaptive adjustment system (US 8116461 B2) identifies variations in ambient noise in real time, from signals supplied by sound level sensors installed in the ceiling of the work space. And, thanks to an advanced signal-processing technology, it automatically adjusts the masking volume depending on the intensity of conversational noise and other noise distractions.


Smart Volume Adjustment to Maximize Acoustic Comfort

The active volume control system provides an unparalleled optimization of both acoustic comfort and effective sound masking.



Real-Time Adaptive Adjustment Features

- Control of masking volume based on the level of disturbing noise in a room.
- Disturbing noise is measured using sound level sensors installed in the ceiling.
- Masking sound level is adjusted automatically in real-time.
- Adjustment rate, high limit and low limit are programmable separately, for each zone.
- An input mixer allows for the combination of any active input with any output channel.



Call Us Toll-Free
1-866-686-0993

smartSMSNET


www.softdb.com/sound-masking

Greater Confidentiality in All Environments

Open-Plan Offices

Sound is easily transmitted throughout open-plan offices, given that there are no doors or walls to block propagation. Conversations are clearly perceived, which disturbs colleagues both nearby and further away. Sound masking raises the acoustic comfort level of open-plan offices by reducing the distraction radius. Hence, people are significantly less distracted by conversations that take place within a radius of 40 to 15 feet from where the sound masking loudspeaker is located.

Conversation radius of distraction



Closed Offices

Significant layout cost reduction

SmartSMS-NET eliminates or reduces the need for plenum barriers, insulation and extra drywall layers. With our system, installation costs can be reduced by \$3 per square foot.

Greater flexibility

SmartSMS-NET improves speech privacy between offices separated only by partitions. It increases the acoustic effectiveness of movable wall construction without losing its practical aspect.



Types of Work Environments That Profit from Masking

- Open-plan offices
- Closed offices
- Meeting rooms
- Reception areas
- Financial institutions
- Health facilities
- Call centers
- And more

Satisfied Clients



OUR EXPERTISE IS RECOGNIZED WORLDWIDE

"The work environment is very silent; quieter. At the end of the day, the employees are less tired. They don't feel the time going by because they are less disturbed and more concentrated."

Annette Filteau
Director - Billing and Enrolment
SSQ Financial Group

"The SoftdB product and installation plan met our challenging space requirements. I am very pleased with how the sound masking system is working, as it is making a positive impact on the quality of our work environment."

Karen Appelbaum
Operations Director
Northwest Area Foundation

■ CANADA

Bombardier
Bristol Myers Squibb
Development Bank of Canada-BDC
CAE
Deloitte
Desjardins Credit Union
Desjardins Insurance
Gaz Métro
GlaxoSmithKline
Gouvernement du Québec
Government of Canada
Hydro Québec
Manulife
National Bank of Canada
Pfizer
Pharmacie Jean-Coutu
Power Corporation
PSP Investments
Raymond Chabot Grant Thornton
Rio Tinto
Royal Bank of Canada
Sandoz
SAP
SSQ Insurance Group
Sunlife

■ UNITED STATES

Abbvie
Aetna
Avery-Dennison
Bristol Myers Squibb
Dassault
Enernoc
Epsilon
Ernst & Young
Honeywell
Iron Mountain
Hanover Insurance
Metlife
Microsoft
Sears Roebuck
SoftBrands
St-Francis Alliance Health care
St. Josephs Hospital
Trane
Transoma
U-Care Minnesota
Universal Hospital Services
Varde
Verizon Wireless
Wells Fargo
West Bank

■ EUROPE

Accenture
Aegan
Cisco Systems
Delta Lloyd
Direct Teleservice
Docs International
Global Asset Management
IBM
Marketel
Marks & Spencer
Mastercard
Pinewood
Rabobank
Robeco
RPC Reynolds Porter Chamberlain
The Prudential
T-Mobile
University of Cambridge

■ ASIA

Daewoo Securities, Korea
Himchan Hospital
Korea Telecom Facilities
Wooki Bank

■ MEXICO

MasterCard
Microsoft
Gaz de France
Monex
Mead Johnson
Bain
American Tower
Banco Compartamos
Nestle
Smith & Nephew
L'Oreal

■ AUSTRALIA

Ernst & Young
Suncorp
BHP
Fairfax Media
ANZ Bank
RAA
QBE
Bain & Co
McInnes Wilson Lawyers
WA Treasury Department
SLR Consulting
Standard & Poors

Call Us Toll-Free
1-866-686-0993

smartSMSNET

www.softdb.com/sound-masking

The Smart SMS-NET

Safety Certifications



- ETL Listed UL / ULC 60065: Audio, Video and Similar Electronic Apparatus-Safety Requirements
- ETL Listed UL 2043 Standard for Fire Test for Heat and Visible Smoke Release
- EN 55103-1, 2- FCC Electromagnetic compatibility for audio & video apparatus
- CCEA Approved - Speakers can be installed in compliance with all requirements of the City of Chicago Electrical Code for Plenum Installations
- Compliant with all technical regulations of the Eurasian Customs Union (EACU)

Conformity to all ASTM requirements related to sound masking systems



- ASTM E1374-06 (11) - Standard Guide for Open Office Acoustics and Applicable ASTM Standards
- ASTM E1573-09 - Standard Test Method for Evaluating Masking Sound in Open Office
- ASTM E1130-08 - Standard Test Method for Objective Measurement of Speech Privacy in Open Offices
- ASTM E2638 - Standard Test Method for Measurement of Speech Privacy Provide by Closed Rooms

Soft dB is an active member of the ASTM E33 Building and Environmental Acoustics and ASTM E33.02 Speech Privacy technical committees, helping develop international standards for sound masking performance.

LEED design



- Exceeds the requirements of LEED-V4 Acoustic Performance related to sound masking systems
- Uses of high-efficiency amplifiers and electronic components to minimize energy consumption
- Shut-down function for zero energy consumption outside of normal operating hours

Environmental sustainability



- SMS-NET compliant to the European directive 2002/95/EC Restriction on Hazardous Material also known as Lead-free (no Lead (Pb), Cadmium (Cd), mercury (Hg), Hexa-Chromium(Hex-Cr)).
- Soft dB adheres to the principle of the Directives on Waste Electrical and Electronic Equipment (WEEE) of the European Commission.

Compatible with Crestron systems



- SmartSMS-Net can be linked to a Crestron Building management system

Founded in 1996, Soft dB is a leader in acoustics; its expertise is recognized worldwide.

With corporate offices and distributors in more than 40 cities in over 25 countries, Soft dB has a truly global perspective.



www.softdb.com



Head Office
1040 Belvédère Avenue, Suite 215
Québec (Québec) Canada G1S 3G3
T 418 686-0993
F 418 686-2043
Toll free: 1 866 686-0993

